

Please type a plus sign (+) inside this box → ☐

PTO/SB/21 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/068,220	
	Filing Date	02/06/2002	
	First Named Inventor	Joseph E. Haring	
	Group Art Unit	3679	
	Examiner Name	Schiffman, Jori	
Total Number of Pages in This Submission	8	Attorney Docket Number	HARINGPAT3


ENCLOSURES (check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Assignment Papers (for an Application)	<input type="checkbox"/> After Allowance Communication to Group
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input checked="" type="checkbox"/> Amendment / Reply	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Response to Missing Parts/Incomplete Application	Remarks	
<input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53		

RECEIVED
DEC 27 2002
GROUP 3600

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	Mark Clodfelter
Signature	<i>Mark Clodfelter</i>
Date	12/17/2002

CERTIFICATE OF MAILING			
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date: Dec. 17, 2002			
Typed or printed name	Mark Clodfelter		
Signature	<i>Mark Clodfelter</i>	Date	Dec. 17, 2002

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Joseph E. Haring

For: TELESCOPIC NUT

Application number: 10/068,220

Filed: 02/06/2002

GAU: 3679

Examiner: Schiffman, Jori

Assistant Commissioner for Patents,
Washington, D. C. 2023

RECEIVED
DEC 27 2002
GROUP 3600

RESPONSE TO RESTRICTION REQUIREMENT AND PRELIMINARY AMENDMENT

Responsive to the restriction requirement mailed 11/25/2002,

Applicant responds as follows:

IN THE CLAIMS

Please amend claim 1 as follows:

- 1 1. A nut assembly for joining two or more workpieces together comprising;
- 2 a first fastener member having a first generally cylindrical inner bore
- 3 provided with a first set of threads therein,
- 4 a second fastener member provided with a second set of threads on
- 5 an exterior surface thereof for threadable engagement with said first set of
- 6 threads, said second fastener member having a second generally cylindrical
- 7 inner bore provided with a third set of threads therein,
- 8 said first set of threads, said second set of threads and said third set
- 9 of threads all being cut in the same direction,
- 10 whereby as a threaded member having a thread/shank interface is
- 11 threadably advanced into said third [second] set of threads of said second

12 fastener member, said third set of threads of said second fastener member
13 contact [contacts] said thread/shank interface of said threaded member, with
14 further relative advancement rotation between said first fastener member and
15 said second fastener member causing said first fastener member to be
16 advanced past said thread/shank interface of said threaded member and
17 contact a said workpiece adjacent said nut assembly.

1 13. A fastener as set forth in claim 10 wherein said workpiece further
2 comprises [comprising] at least two coplanar members each having an opening,
3 each said opening coaxially aligned, with said shank extending through both
4 openings and terminating therebeyond so that when said fastener is threaded
5 onto said threaded bolt or other threaded member, said generally cylindrical
6 member first contacts said shank, with additional torque applied to said
7 fastener member or said threaded bolt or other threaded member breaking said
8 attachment so that said fastener member may be threaded onto said cylindrical
9 member to abut an adjacent said coplanar member.

1 14. A method for fastening adjoining members wherein a [ensuring that the]
2 shank of a threaded article passes slightly beyond said adjoining members [is
3 positioned at and passed through the contact plane of adjoining members]
4 comprising the steps of:

5 1) threadably positioning a sleeve having exterior threads and interior
6 threads within a threaded bore of a fastening member,

7 2) threadably advancing said sleeve onto said article until said sleeve
8 abuts a thread/shank interface of said threaded article, halting advancement
9 of said sleeve onto said article,
10 3) continuing to threadably advance said fastening member on said
11 sleeve until said fastening member is sufficiently tightened against [contacts]
12 an adjacent one of said adjoining members.

Please add the following new claims to the case.

19. A nut assembly as set forth in claim 1 wherein said first fastener member
is fixedly attached to an adjacent one of said workpieces, with rotation of said
threaded member advancing said second fastener member to said
thread/shank interface, with further rotation of said threaded member
tightening said threaded member and compressing said workpieces together.

20. A fastener as set forth in claim 7 wherein said fastener member is affixed
to an adjacent said workpiece so that rotation of said threaded bolt or other
threaded member tightens said fastener and said bolt against said workpiece.

TRAVERSE

The Examiner states, with respect to operation of Applicant's invention, that "in the instant case the advancement of the sleeve could be continuous instead of being halted in the middle and then continued.". However, such operation suggested by the Examiner is physically impossible.

As shown in Figs. 3 and 4, as the assembly formed by fastener 1 and sleeve 2 is threaded onto threads 30 of member 26, the sleeve 2 is terminally halted in its advancement onto threads 30 by contact of the threads of the sleeve with the shank portion of member 26. At this point, no further advancement of the sleeve 2 is possible because it is locked against the shank. As such, movement thereof cannot be "continued" as asserted by the Examiner. After the sleeve 2 is locked, fastener 1 may then be further tightened against member 38 to sufficiently torque members 36 and 38 together. As such, only the sleeve is halted, with the fastening member being tightened in a continuous movement from start to finish. This is seen in both claims 1 and 14 wherein "with further relative advancement rotation between said first fastener member and said second fastener member causing said first fastener member to be advanced past said thread/shank interface of said threaded member and contact a said workpiece adjacent said nut assembly." (claim 1 as amended) and "continuing to threadably advance said fastening member on said sleeve until said fastening member is sufficiently tightened against an adjacent one of said adjoining members." (claim 3 as amended).

In addition to the foregoing, claim 1 is amended "for joining two or more workpieces together..." to match the amendment to claim 14 of "fastening adjoining members...". With these amendments, the inventions of claims 1 and 14 should be in the same classification schedule.

As the Examiner's example is not plausible, and the claims are amended so as to be in the same class, it is respectfully requested that the restriction requirement be withdrawn. In the event the Examiner maintains the restriction requirement, Applicant elects the inventions of claims 1 - 13 and the inventions of newly added claims 19 and 20.

REMARKS

Claims 1 and 14 are amended as noted *supra* to assist in overcoming the restriction requirement, and are further amended for clarity and to correct antecedence. Here, at line 11 of claim 1, "second" is corrected to "third". The remaining corrections to claim 1 are for clarity, and add no new matter. With respect to claim 14, amendments thereto are to clarify the claim, and also do not add new matter. The amendments to claim 13 are to correct antecedence with respect to the "workpiece". No new matter is added to claim 13. Claims 19 and 20 are added to more fully claim Applicant's invention, and as stated are within the scope of the election. No new matter is added with respect to claims 19 and 20.

By:



Mark Clodfelter, Agent of Record
Registration number: 34,564
555 Sparkman Drive
Suite 1602D
Huntsville, Ala. 35816
Tel. (256) 895-8339